

# Oak Boundary

---



The Boundary range, named after the Grade II listed, modest but unique, housing estate situated a stone's throw from our East showroom, is about integrity and honest workmanship.

These high quality, design-led timber floors are available in 6 distinctive colours in plank, herringbone, and chevron parquet.

The 15mm engineered oak board offers a simple, minimal look with less colour and grain variation. Available in three grades of timber, with the select grade having fewer knots, like for like, than other ranges.



Arnold



Calvert



Camlet



Hocker



Montclare



Navarre

### **Planks from: £114 sqm**

Widths available: 160, 180, 200, 220, 240, 260, 300mm

Thickness available: 15 & 19mm

Duplex engineered

### **Herringbone & Chevron from: £119 sqm**

Sizes available: Herringbone 70 x 700mm, 100 x 600mm, 140 x 700mm.

Chevron 90 x 510mm, 140 x 660mm

Thickness available: 15mm

Duplex engineered

Prices do not include VAT or delivery

## Technical Specifications

<b>SPECIES</b>	European oak
<b>APPLICATION</b>	Commercial and residential (Indoor)
<b>CONSTRUCTION</b>	Duplex engineered 4mm top layer oak
<b>BEVEL</b>	Micro bevel as standard
<b>INSTALLATION TECHNIQUE</b>	Nail, glue bonding or floating
<b>SUITABLE FOR UFH</b>	Yes, when duplex engineered
<b>FIRE CLASSIFICATION</b>	EN: 13501: Dfl-S1
<b>THERMAL CONDUCTIVITY</b>	0.119-0.17 $\lambda$ W/mK
<b>HARDNESS</b>	4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and re-finished. You could then choose to re-oil the floor or have it stained first or even re-finished in lacquer.



West:  
61 Paddington St  
London W1U 4JD  
020 7486 4838

East:  
7a Ezra Street  
London E2 7RH  
020 7221 8188

Registered in England & Wales: Solid Floor Ltd. 7a Ezra Street, London E2 7RH  
Company Reg No: 03287805 | VAT Reg No: 710 4793 50  
FSC® licence: C117337 | FSC COC: CU-COC-828136 | PEFC COC: CU-PEFC-828136  
solidfloor.co.uk sales@solidfloor.co.uk  solidfloor  solidfloor