
## Oak County



A classic collection of engineered oak floors suitable for all interiors

This collection of floors is available in a variety of options: smooth sanded finishes, open grain brushing, or aged appearances with broken edges offering character floors with a time-worn appearance.



## Planks from: £109 sqm

Widths available: 160mm, 185mm, 190mm, 220mm, 250mm, 260mm

Thickness available: 16 and 20mm

Duplex engineered

## Herringbone & Chevron: From £129 sqm

Sizes available: Herringbone 100mm x 600mm, Chevron 100mm x 500mm

Thickness available: 15mm

Duplex engineered

Prices do not include VAT or delivery

## **Technical Specifications**

SPECIES European oak
CERTIFICATION Not Certified

**APPLICATION** Commercial and residential (Indoor)

**CONSTRUCTION** Duplex engineered 4 or 6mm top layer oak

**BEVEL**Micro bevel as standard **INSTALLATION TECHNIQUE**Nail, glue bonding or floating

SUITABLE FOR UFH

Yes, when duplex engineered

FIRE CLASSIFICATIONEN: 13501: Dfl-S1THERMAL CONDUCTIVITY0.119-0.17 λ W/mKHARDNESS4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and refinished. You could then choose to re-oil the floor or have it stained first or even refinished in lacquer.

