## Oak Desert



A range of refined oak floors featuring more complex hues.

Its three captivating colours are offered in both plank and parquet formats, with extensive options for texture: choose from brushed or distressed finishes or opt for a bandsaw effect to suit your design intent.







Gobi

Kalahari

Sahara

## Planks: From £134 sqm

Widths available: 160mm, 180mm, 200mm, 220mm, 240mm, 260mm, 300mm Thickness available: 15 & 19mm Duplex engineered

## Herringbone & Chevron: From £144 sqm

Sizes available: Herringbone 70 x 700mm, 100 x 600mm, 140 x 700mm Chevron 90 x 510mm, 140 x 660mm Thickness available: 14 & 15mm Duplex engineered

Prices do not include VAT or delivery

## **Technical Specifications**

SPECIES APPLICATION CONSTRUCTION BEVEL INSTALLATION TECHNIQUE SUITABLE FOR UFH FIRE CLASSIFICATION THERMAL CONDUCTIVITY HARDNESS European oak Commercial and residential (Indoor) Duplex engineered 4 or 6mm top layer oak Micro bevel as standard Nail, glue bonding or floating Yes, when duplex engineered EN: 13501: Dfl-S1  $0.119-0.17 \lambda$  W/mK 4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and refinished. You could then choose to re-oil the floor or have it stained first or even refinished in lacquer.



West: 61 Paddington St London W1U 4JD 020 7486 4838 East: 7a Ezra Street London E2 7RH 020 7221 8188 Registered in England & Wales: Solid Floor Ltd. 7a Ezra Street, London E2 7RH Company Reg No: 03287805 | VAT Reg No: 710 4793 50 FSC= licence: C117337 | FSC COC: CU-COC-828136 | PEFC COC: CU-PEFC-82813 solidfloor.co.uk sales@solidfloor.co.uk Ø solidfloor 😂 solidfloor