
# Oak Tate



Visible saw marks on the surface of the oak give the Tate its distinctive vibrant texture producing a stylish floor bursting with energy, character and vitality.

It is no surprise that it is a firm favourite amongst interior designers and architects.

Don't be fooled by its industrial look, this floor delivers an exquisite foundation for any scheme; contemporary, period, or minimalist. Available in a range of tones and widths, as well as parquet, this special floor offers boundless possibilities.



#### Planks: From £114 sqm

Widths available: 140/145mm, 180/185mm, 220/225mm, 240/245mm, 280/285mm

Thickness available: 15mm, 20mm

Solid or duplex engineered

## Herringbone & Chevron: From £134 sqm

Sizes available: 85 x 425mm, 105 x 525mm, 145 x 580mm, 145 x 725mm, 185 x 925mm

Thickness available: 15mm, 20mm

Solid or duplex engineered

#### Parquet Panels: From £179 sqm

Ten Patterns available in set sizes Thickness available: 20mm Solid or duplex engineered

Prices do not include VAT or delivery

## **Technical Specifications**

**SPECIES** European oak

**APPLICATION** Commercial and residential (Indoor)

**CONSTRUCTION** Duplex engineered 4 or 6mm top layer oak

Solid oak

**BEVEL** Micro bevel as standard

INSTALLATION TECHNIQUE Nail, glue bonding or floating SUITABLE FOR UFH Yes, when duplex engineered

FIRE CLASSIFICATIONEN: 13501: Dfl-S1THERMAL CONDUCTIVITY0.119-0.17 λ W/mKHARDNESS4,982 N (Janka)

Timber floors are easy to care for, please call us for further information on the best way to look after your floor.

Timber is a living material. A wooden floor, although no longer growing as part of a tree, is still very much part of its environment. As such, it responds to the light, temperature, humidity and wear to which it is exposed.

As the floor ages the colour of the wood will mellow and change. This is a natural process that occurs as the surface of the wood is exposed to oxygen in the air and to ultraviolet light from the sun. Painted surfaces, upholstery, furniture and rugs all undergo this same process over time.

After a number of years you may wish to have the floor surface sanded down and refinished. You could then choose to re-oil the floor or have it stained first or even refinished in lacquer.





